

Twitchers Route



A Birdwatchers Guide
to Kimberley National
Parks and Reserves



Contents

| | |
|---|-----------|
| Introduction..... | 3 |
| Birdwatching tips..... | 3 |
| Kimberley parks and reserves map..... | 4 |
| Recommended additional resources..... | 5 |
| Birdwatching sites..... | 6 |
| • Eighty Mile Beach Marine Park..... | 6 |
| • Yawuru Birragun Conservation Park, Yawuru Minyirr Buru Conservation Park and Yawuru Nagulagun / Roebuck Bay Marine Park | 6 |
| • Wunaamin Conservation Park – Dulundi (Silent Grove)..... | 8 |
| • Bandilngan (Windjana Gorge) National Park..... | 8 |
| • Dangu Geikie Gorge National Park..... | 10 |
| • Mitchell River National Park..... | 10 |
| • Parry Lagoons Nature Reserve..... | 12 |
| • Mirima National Park..... | 12 |
| • Darram Conservation Park..... | 14 |
| • Purnululu National Park..... | 14 |
| Birdwatching species checklist..... | 16 |
| Ducks, geese and grebes..... | 16 |
| Storks, pelicans, bitterns, herons, egrets, ibis and spoonbills..... | 17 |
| Cormorants and darter..... | 19 |
| Rails, crakes, scrubfowl and pitta..... | 19 |
| Oystercatchers, stilts and avocet..... | 20 |
| Plovers and dotterels..... | 20 |
| Curlews, godwits, stints, sandpipers and phalarope..... | 21 |
| Pratincoles..... | 23 |
| Snipe and jacana..... | 23 |
| Jaeger, gull, terns, frigatebird and booby..... | 23 |
| Emu, bustards and stone-curlews..... | 25 |
| Quails and button-quails..... | 25 |
| Doves and pigeons..... | 25 |
| Cuoucals and cuckoos..... | 26 |
| Frogmouth, nightjars and owls..... | 27 |
| Kites, eagles and goshawks..... | 28 |
| Falcons..... | 29 |
| Bee-eater, dollarbird and kingfishers..... | 30 |
| Cockatoos and parrots..... | 30 |
| Fairy-wrens and grasswren..... | 31 |
| Honeyeaters and chats..... | 31 |
| Pardalotes, gerygones and weebill..... | 33 |
| Bowerbird, treecreeper, babbler and sitella..... | 34 |
| Cuckoo-shrikes, cicadabird, trillers and whistlers..... | 34 |
| Shrike-thrush, figbird and orioles..... | 35 |
| Woodswallows..... | 35 |
| Magpie, butcherbirds and drongo..... | 36 |
| Fantails..... | 36 |
| Crows..... | 37 |
| Flycatchers and magpie-lark..... | 37 |
| Robins and mistletoebird..... | 37 |
| Mannikins and finches..... | 38 |
| Pipits, wagtails, bushlark and cisticola..... | 39 |
| Songlarks, grassbirds, reed-warbler and white-eye..... | 39 |
| Swifts, swallows and martins..... | 40 |
| Notes..... | 41 |

Front cover photo Purple-crowned fairy-wren.

Back cover photo Shorebird flock. Photos – Karen Bettink

Twitchers Route



A Birdwatchers Guide to Kimberley National Parks and Reserves

Introduction

The Kimberley region offers birdwatchers a unique opportunity to spot over 300 bird species which is more than one third of all of Australia's bird species, located in some of the most beautiful and rugged landscapes in the country.

This guide has been designed by the Department of Biodiversity Conservation and Attractions; Parks and Wildlife Service (DBCA, the Department) to assist birdwatchers to find and identify key species to target in conservation reserves and National parks.

There is a summary of each park and a checklist at the back to help you record the bird species you encounter in each location.

We acknowledge traditional owners across the Kimberley region including those who we jointly manage National parks and reserves with. We recognise that for thousands of years, birds hold cultural importance to traditional owners as a food source, as part of their spiritual history and dreamtime stories.

Please note: many of the parks are closed during the wet season (November to May), for up to date access information contact the Parks and Wildlife Service Office's in Broome (08) 9195 5500 or Kununurra (08) 9168 4200.


Birdwatching Tips

Bush birds are typically most active during dawn and evening and therefore these times represent your best opportunity to find these species. The time of day is less critical for waterbirds and tides are the major influence on coastal shorebirds, which forage at low tide and roost in communal flocks at high tide. A good set of binoculars will suffice for observing birds in most scenarios although a spotting scope is useful for shorebird identification or when looking at waterbirds from a distance.

To identify a bird species, a number of features should be observed, including but not limited to; size and shape of the bird, bill shape, size and colour, distinctive plumage marks and colours, tail shape and size plus behaviours such as tail flicks and flight pattern. Learning the calls of different species will significantly increase your ability to identify them.



Kimberley national parks and reserves map



If you hear an unfamiliar call attempt to track it down, seeing the species making the call will help engrain this call in your memory for next time. When moving, go slow and steady and practice focusing your binoculars on birds quickly as sometimes a brief opportunity is all that is presented.

Please be considerate of your impact on birds whilst birdwatching by limiting your disturbance as much as possible and leave no trace but your footsteps. It is advised to stay on walk paths and trails and always carry adequate water. For more information on ethical birdwatching standards please visit Birdlife Australia's website (<http://www.birdlife.org.au/conservation/advocacy/policies>).

Recommended additional resources

The Morcombe & Stewart Guide to Birds of Australia and *Pizzey and Knight Birds of Australia* phone app

The Australian Bird Guide by Menkhurst, Rogers, Clarke, Davies and Marsack,

Finding Australian Birds by Dolby and Clarke

Photo Painted finch.
Photo - Jordan Vos



1 Eighty Mile Beach Marine Park

Key species

Large numbers of shorebirds, white-bellied sea-eagle

The Eighty Mile Beach marine Park and adjacent coastal reserves protect a remarkable 260 km of coastline, stretching from near Cape Keraudren in the south to Cape Missiessy in the north. The sand and mud flats support an incredible number of migratory shorebird species, along with resident shorebird species, terns and gulls. For migratory shorebirds, it is an internationally significant location, regularly supporting over 400,000 individuals during their non-breeding (summer) season in Australia. Public access to the park is restricted to Cape Keraudren and Eighty Mile Beach caravan park.

2 Yawuru Birragun Conservation Park, Yawuru Minyirr Buru Conservation Park and Yawuru Nagulagun / Roebuck Bay Marine Park

Key species

Large numbers of shorebirds, Asian dowitcher, common redshank, mangrove specialists, oriental cuckoo

Deemed the shorebird capital of Australia, Broome and Roebuck Bay, which falls within Yawuru Birragun Conservation Park and adjacent Yawuru Nagulagun / Roebuck Bay Marine Park, is world famous for being easily accessible to view the vast numbers and diversity of migratory shorebirds that visit each year. Over the summer months when migratory shorebirds are at their peak, it is not uncommon to see flocks of several thousand birds, a truly remarkable experience. Join a Broome Bird Observatory shorebird tour to get expert guidance and tips for identification of these birds, which can be notoriously difficult to identify. Terns and other coastal species are abundant, as is other wildlife such as snubfin dolphins. The mudflats of Roebuck Bay contain more benthic invertebrate species than anywhere else in the world. Roebuck Bay is Australia's most reliable site for Asian dowitcher and common redshank, and the surrounding mangroves are also home to a number of mangrove specialist species such as broad-billed flycatcher, red-headed honeyeater, mangrove grey fantail, dusky gerygone, white-breasted whistler and mangrove golden whistler. Minyirr Park close to Broome has three walk trails providing excellent access through pindan woodland and patches of monsoon vine thicket. Typical bush birds will be seen



Photo - David Chemello

White-bellied sea-eagle.



Photo - Nigel Jockett

Oriental cuckoo.



Photo - Karen Bettink

Shorebird flock.

such as little friarbird and rufous-throated honeyeater but keep a keen eye out for oriental cuckoo, a regular but rare visitor over the summer months.

3 Wunaamin Conservation Park – Dulundi (Silent Grove)

Key species

Purple-crowned fairy-wren, northern rosella, black-tailed treecreeper, bush birds.

The campsite at Dulundi (Silent Grove) is an excellent base to explore the open woodlands and rocky hills of King Leopold Ranges Conservation Park. These areas offer excellent general bush birding and taking a walk in the early to mid-morning will be most productive. Various species can be encountered, which is likely to include northern rosella, black-tailed treecreeper, pied butcherbird and little friarbird. When the eucalypts and melaleuca are in flower, honeyeaters abound. Flocks of brolga are often seen in the open grasslands. Bell Creek supports a population of the threatened purple-crowned fairy-wren. The population within the conservation park appears to be stable thanks to management of feral herbivores and appropriate fire management within the streamside vegetation where this species is restricted to. Search the dense pandanus and listen for their distinctive call. The Bell Creek crossing near Dulundi (Silent Grove) and approximately 3 km upstream from Dalmanyi (Bell Gorge) are two reliable areas to find this enigmatic species. Listen for the distinctive high pitched piping call of the black-tailed treecreeper which can be heard and seen in the open woodland habitats between the campground and Dalmanyi (Bell Gorge).

4 Bandilngan (Windjana Gorge) National Park

Key species

Sandstone shrike-thrush, Australasian figbird, azure kingfisher, green-backed gerygone

The Devonian Reef and Lennard River provide a dramatic landscape at Bandilngan (Windjana Gorge) National Park, where over 100 bird species have been recorded. The dense woodland, shade and water within the gorge provide a refuge from the surrounding open grasslands, so bird species abundance and richness is high. Take a walk in the gorge early morning to maximise its birdwatching potential. Listen for the distinctive call of the sandstone shrike-thrush, which can often be seen jumping around on the gorge rocks and cliff face. The gorge is



Photo – Karen Bettink

Purple-crowned fairy-wren.




Photo – Jordan Vos

Masked finch.

home to Australasian figbird and green-backed gerygone, species which don't generally occur any further south or west of this location, listen for their distinctive calls and look in the dense canopy layer for them. Azure kingfisher can be seen perched on branches overlooking the pools of water. At certain times of the year, during the last twilight of sunset, watch for the breathtaking spectacle of thousands of flying foxes funnelling out through the gorge.

5 Danggú Geikie Gorge National Park

Key species

Fairy martin, river birds, birds of prey

Jump on the department boat tour to fully appreciate the spectacular vista of the Fitzroy River amongst the towering cliffs of Danggú Geikie Gorge National Park. Look under the over hangs and in the sky to see hundreds of fairy martins gracefully soaring, along with black and whistling kites, nankeen kestrels, black-breasted buzzards and other bird of prey species. Along the river you may spot birds such as azure kingfisher, Australasian darter, little pied cormorant and other heron and egret species. Keep an eye out for basking freshwater crocodiles. The walk trails that start at the gazebo and main car park traverse various woodland and rocky habitats and provide a good opportunity to see typical woodland species such as rufous whistler, rainbow bee-eater and white-bellied cuckoo-shrike.

6 Mitchell River National Park

Key species

Orange-footed scrubfowl, rainbow pitta, partridge pigeon, emerald dove, rose-crowned fruit-dove, black grasswren, Kimberley honeyeater, torresian imperial pigeon

The Mitchell River National Park contains the unique landforms of the rocky and rugged Mitchell Plateau along with remnant rainforest patches. These restricted habitats support a unique bird assemblage and consequently high species richness with over 170 species recorded in the park, including two endemic species (black grasswren and Kimberley honeyeater) which are restricted to the north Kimberley region. The partridge pigeon is the easiest of the key species and can be seen foraging in the campground. The other species require more effort. Take the walk trail to Little Merten's Falls and continue towards Big Merten's Falls. The rugged sandstone country is habitat for Kimberley honeyeater and the highly prized black grasswren, which can be cryptic and difficult to see. Listen for their metallic and squeaky

Photo - Karen Bettink



Rainbow bee-eater.

Photo - David Chemollo



Black kite.

Photo - Jordan Vos



Black grasswren.

calls amongst large spinifex, with mornings and afternoons your best chance. As you traverse past Little Merten's Falls a rainforest patch offers an opportunity to look for orange-footed scrubfowl, rainbow pitta, emerald dove, Torresian imperial pigeon and rose-crowned fruit-dove. A number of swimming spots along the walk allow an opportunity to cool off and the spectacular Mitchell Falls at the end of the four kilometre walk provides a stunning and rewarding view.

7 Parry Lagoons Nature Reserve

Key species

Large numbers of waterbirds, Gouldian finch and other finches

A waterbird lovers paradise, Marglu Billabong (a Ramsar-listed wetland of international significance) provides significant habitat to waterbird species. Over 220 bird species have been recorded from the reserve. The number of species and abundance will be determined by seasonal conditions and water levels. During the wet season, flooding creeks inundate the flat, low-lying plain and bring abundant food to Marglu Billabong; food which attracts an incredible number and variety of waterbirds. Egrets, spoonbills, herons, ibises, many species of waterfowl, magpie geese and stilts can often be counted in their thousands. The bird hide at the main car park offers an excellent viewing platform. The surrounding grasslands support numerous quail and nine of the ten mannikin and finch species of the Kimberley have been recorded here. Look for Gouldian finches flying up off the road and coming in to drink at Marglu Billabong, particularly early morning and late afternoon. The waterhole at Parry Creek Farm is another reliable spot for Gouldian finches to drink at.

8 Mirima National Park

Key species

White-quilled rock-pigeon, dusky honeyeater

Located just out of Kununurra, Mirima National Park offers a good opportunity to look for a range of woodland and bush birds close to town amongst spectacular geology. Four separate walk trails offer good access to the park, listen for the distinctive wing claps of white-quilled rock-pigeon as they make short flights amongst the rocks. The park offers one of the best opportunities to spot a dusky honeyeater in Western Australia, which typically occurs further north and east, a sought after species for the Western Australian lister. You are also likely to see species such as northern rosella, great bowerbird and a



Photo – Jordan Vos

Gouldian finch.



Comb-crested jacana.



Photos – David Chemollo

Crimson finch.

range of bird of prey species. Also keep a look out for short-eared rock-wallaby, which are most typically seen in the early morning or late afternoon.

9 Darram Conservation Park

Key species

Finches, yellow oriole, white-browed crane, comb-crested jacana

Located on the banks of the Ord River just out of Kununurra, Darram Conservation Park offers excellent birdwatching for a range of waterbird and grassland species close to town. Packsaddle road borders the Park and provides access to a number of walking tracks which lead in to the park. Follow these through the various habitats and you should encounter a range of egret, heron, ibis, cormorant and other waterbird species. Look carefully for white-browed crane and comb-crested jacana walking on floating vegetation and amongst reed beds. Look for yellow oriole and honeyeater species in the canopy of trees. A variety of finch species occur here, including yellow-rumped mannikin, search for them feeding amongst spear grass and other seeding grasses.

10 Purnululu National Park


Key species

Painted finch, spinifex pigeon, crimson chat, black-tailed treecreeper, Australian bustard

The World Heritage listed Purnululu National Park contains spectacular banded sandstone domes and is located in a transition zone of arid environments to the south and monsoonal areas to the north. Consequently, a diverse range of bird species occur here and is your best chance at picking up a number of arid zone species. A four-wheel drive vehicle is required to access the park from the Great Northern Highway. A number of camp sites are provided allowing you to base yourself here and explore the numerous walk trails throughout the park, drop in to the visitor centre to pick up a map. Amongst the rocky areas look for small flocks of spinifex pigeon and listen for their distinctive wing-clap as they make short bursting flights. Depending on seasonal conditions, you may encounter crimson chat foraging in the open spinifex grasslands along with other grassland species such as Australian bustard and emu. Look and listen for black-tailed treecreeper amongst open eucalyptus woodland. Budgerigars can occur in large numbers during suitable conditions whilst painted finch can be seen in rocky areas and drinking from waterholes in the gorges.



Blue-winged Kookaburra.



Photos - David Chemello

Australian bustard.

| Species | | Ducks, geese and grebes | | | | | | | | | |
|---------|---|-------------------------|--|--|--|--|--|--|--|--|--|
| 1 | Eighty Mile Beach Marine Park | | | | | | | | | | |
| 2 | Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| 3 | Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| 4 | Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| 5 | Danggu Geikie Gorge National Park | | | | | | | | | | |
| 6 | Mitchell River National Park | | | | | | | | | | |
| 7 | Parry Lagoons Nature Reserve | | | | | | | | | | |
| 8 | Mirima National Park | | | | | | | | | | |
| 9 | Darram Conservation Park | | | | | | | | | | |
| 10 | Purnululu National Park | | | | | | | | | | |
| | Magpie goose | | | | | | | | | | |
| | Plumed whistling-duck | | | | | | | | | | |
| | Wandering whistling-duck | | | | | | | | | | |
| | Pink-eared duck | | | | | | | | | | |
| | Black swan | | | | | | | | | | |
| | Radjah shelduck | | | | | | | | | | |
| | Hardhead | | | | | | | | | | |
| | Australasian shoveler | | | | | | | | | | |
| | Pacific black duck | | | | | | | | | | |
| | Grey teal | | | | | | | | | | |

| | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|
| | Northern pintail | | | | | | | | | | |
| | Freckled duck | | | | | | | | | | |
| | Australian wood duck | | | | | | | | | | |
| | Green pygmy-goose | | | | | | | | | | |
| | Australasian grebe | | | | | | | | | | |
| | Hoary-headed grebe | | | | | | | | | | |
| | Great crested grebe | | | | | | | | | | |
| | Storks, pelicans, bitterns, herons, egrets, ibis and spoonbills | | | | | | | | | | |
| | Brolga | | | | | | | | | | |
| | Black-necked stork | | | | | | | | | | |
| | Australian pelican | | | | | | | | | | |
| | Australian little bittern | | | | | | | | | | |
| | Black bittern | | | | | | | | | | |
| | Nankeen night-heron | | | | | | | | | | |
| | Striated heron | | | | | | | | | | |
| | Cattle egret | | | | | | | | | | |
| | White-necked heron | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Eastern great egret | | | | | | | | | | |
| Intermediate egret | | | | | | | | | | |
| Pied heron | | | | | | | | | | |
| White-faced heron | | | | | | | | | | |
| Little egret | | | | | | | | | | |
| Eastern reef egret | | | | | | | | | | |
| Australian white ibis | | | | | | | | | | |
| Straw-necked ibis | | | | | | | | | | |
| Glossy ibis | | | | | | | | | | |
| Yellow-billed spoonbill | | | | | | | | | | |
| Royal spoonbill | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|
| Cormorants and darter | | | | | | | | | | |
| Little pied cormorant | | | | | | | | | | |
| Great cormorant | | | | | | | | | | |
| Little black cormorant | | | | | | | | | | |
| Pied cormorant | | | | | | | | | | |
| Australasian darter | | | | | | | | | | |
| Rails, crakes, scrubfowl and pitta | | | | | | | | | | |
| Buff-banded rail | | | | | | | | | | |
| Australian spotted crake | | | | | | | | | | |
| Baillon's crake | | | | | | | | | | |
| Spotless crake | | | | | | | | | | |
| Pale-vented bush-hen | | | | | | | | | | |
| White-browed crake | | | | | | | | | | |
| Purple swamphen | | | | | | | | | | |
| Dusky moorhen | | | | | | | | | | |
| Black-tailed native-hen | | | | | | | | | | |
| Eurasian coot | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-----------------------------------|---|---|---|---|---|---|---|---|---|----|
| Orange-footed scrubfowl | | | | | | | | | | |
| Rainbow pitta* | | | | | | | | | | |
| Oystercatchers, stilts and avocet | | | | | | | | | | |
| Australian pied oyster-catcher | | | | | | | | | | |
| Sooty oystercatcher | | | | | | | | | | |
| Banded stilt | | | | | | | | | | |
| Red-necked avocet | | | | | | | | | | |
| Black-winged stilt | | | | | | | | | | |
| Plovers and dotterels | | | | | | | | | | |
| Grey plover* | | | | | | | | | | |

| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| Pacific golden plover* | | | | | | | | | | |
| Little ringed plover* | | | | | | | | | | |
| Red-capped plover | | | | | | | | | | |
| Lesser sand plover* | | | | | | | | | | |
| Greater sand plover* | | | | | | | | | | |
| Oriental plover* | | | | | | | | | | |
| Black-fronted dotterel | | | | | | | | | | |
| Masked lapwing | | | | | | | | | | |
| Red-kneed dotterel | | | | | | | | | | |
| Curlews, godwits, stilts, sandpipers and phalarope | | | | | | | | | | |
| Whimbrel* | | | | | | | | | | |
| Little curlew* | | | | | | | | | | |
| Eastern curlew* | | | | | | | | | | |
| Bar-tailed godwit* | | | | | | | | | | |
| Black-tailed godwit* | | | | | | | | | | |
| Ruddy turnstone* | | | | | | | | | | |
| Great knot* | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------------------------|---|---|---|---|---|---|---|---|---|----|
| Red knot* | | | | | | | | | | |
| Ruff* | | | | | | | | | | |
| Broad-billed sandpiper* | | | | | | | | | | |
| Sharp-tailed sandpiper* | | | | | | | | | | |
| Curllew sandpiper* | | | | | | | | | | |
| Long-toed stint* | | | | | | | | | | |
| Red-necked stint* | | | | | | | | | | |
| Sanderling* | | | | | | | | | | |
| Asian dowitcher* | | | | | | | | | | |
| Terek sandpiper* | | | | | | | | | | |
| Common sandpiper* | | | | | | | | | | |

| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| Grey-tailed tattler* | | | | | | | | | | |
| Common greenshank* | | | | | | | | | | |
| Common redshank* | | | | | | | | | | |
| Wood sandpiper* | | | | | | | | | | |
| Marsh sandpiper* | | | | | | | | | | |
| Red-necked phalarope* | | | | | | | | | | |
| Pratincoles | | | | | | | | | | |
| Australian pratincole | | | | | | | | | | |
| Oriental pratincole* | | | | | | | | | | |
| Snipe and jacana | | | | | | | | | | |
| Swinhoe's snipe* | | | | | | | | | | |
| Australian painted snipe | | | | | | | | | | |
| Comb-crested jacana | | | | | | | | | | |
| Jaeger, gull, terns, frigatebird and booby | | | | | | | | | | |
| Pomarine jaeger | | | | | | | | | | |
| Silver gull | | | | | | | | | | |
| Sooty tern | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Little tern | | | | | | | | | | |
| Gull-billed tern | | | | | | | | | | |
| Caspian tern | | | | | | | | | | |
| Whiskered tern | | | | | | | | | | |
| White-winged black tern | | | | | | | | | | |
| Roseate tern | | | | | | | | | | |
| Common tern | | | | | | | | | | |
| Lesser crested tern | | | | | | | | | | |
| Crested tern | | | | | | | | | | |
| Lesser frigatebird | | | | | | | | | | |
| Brown booby | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------|--|--|--|--|--|--|--|--|--|--|
| Emu, bustards and stone-curlews | | | | | | | | | | |
| Emu | | | | | | | | | | |
| Australian bustard | | | | | | | | | | |
| Bush stone-curlew | | | | | | | | | | |
| Beach stone-curlew | | | | | | | | | | |
| Quails and button-quails | | | | | | | | | | |
| Brown quail | | | | | | | | | | |
| Red-backed button-quail | | | | | | | | | | |
| Chestnut-backed button-quail | | | | | | | | | | |
| Red-chested button-quail | | | | | | | | | | |
| Little button-quail | | | | | | | | | | |
| Doves and pigeons | | | | | | | | | | |
| Rock dove | | | | | | | | | | |
| White-quilled rock-pigeon | | | | | | | | | | |
| Spinifex pigeon | | | | | | | | | | |
| Partridge pigeon | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------------|---|---|---|---|---|---|---|---|---|----|
| Common bronzewing | | | | | | | | | | |
| Flock bronzewing | | | | | | | | | | |
| Crested pigeon | | | | | | | | | | |
| Diamond dove | | | | | | | | | | |
| Peaceful dove | | | | | | | | | | |
| Bar-shouldered dove | | | | | | | | | | |
| Emerald-dove | | | | | | | | | | |
| Torresian imperial-pigeon | | | | | | | | | | |
| Rose-crowned fruit-dove | | | | | | | | | | |
| Cuculals and cuckoos | | | | | | | | | | |
| Pheasant coucal | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|-------------------------------|---|---|---|---|---|---|---|---|---|----|
| Eastern koel* | | | | | | | | | | |
| Channel-billed cuckoo* | | | | | | | | | | |
| Horsfield's bronze-cuckoo | | | | | | | | | | |
| Black-eared cuckoo | | | | | | | | | | |
| Shining bronze-cuckoo | | | | | | | | | | |
| Little bronze-cuckoo | | | | | | | | | | |
| Brush cuckoo | | | | | | | | | | |
| Pallid cuckoo | | | | | | | | | | |
| Oriental cuckoo* | | | | | | | | | | |
| Frogmouth, nightjars and owls | | | | | | | | | | |
| Tawny frogmouth | | | | | | | | | | |
| Spotted nightjar | | | | | | | | | | |
| Australian owl-nightjar | | | | | | | | | | |
| Eastern grass owl | | | | | | | | | | |
| Masked owl | | | | | | | | | | |
| Eastern barn owl | | | | | | | | | | |
| Barking owl | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Southern boobook | | | | | | | | | | |
| Kites, eagles and goshawks | | | | | | | | | | |
| Eastern osprey | | | | | | | | | | |
| Black-shouldered kite | | | | | | | | | | |
| Letter-winged kite | | | | | | | | | | |
| Black-breasted buzzard | | | | | | | | | | |
| Square-tailed kite | | | | | | | | | | |
| Pacific baza | | | | | | | | | | |
| Wedge-tailed eagle | | | | | | | | | | |
| Little eagle | | | | | | | | | | |
| Swamp harrier | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|-------------------------|--|--|--|--|--|--|--|--|--|--|
| Spotted harrier | | | | | | | | | | |
| Grey goshawk | | | | | | | | | | |
| Brown goshawk | | | | | | | | | | |
| Collared sparrowhawk | | | | | | | | | | |
| Red goshawk | | | | | | | | | | |
| White-bellied sea-eagle | | | | | | | | | | |
| Whistling kite | | | | | | | | | | |
| Brahminy kite | | | | | | | | | | |
| Black kite | | | | | | | | | | |
| Falcons | | | | | | | | | | |
| Nankeen kestrel | | | | | | | | | | |
| Australian hobby | | | | | | | | | | |
| Brown falcon | | | | | | | | | | |
| Grey falcon | | | | | | | | | | |
| Black falcon | | | | | | | | | | |
| Peregrine falcon | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------------------------|---|---|---|---|---|---|---|---|---|----|
| Bee-eater, dollarbird and kingfishers | | | | | | | | | | |
| Rainbow bee-eater | | | | | | | | | | |
| Dollarbird* | | | | | | | | | | |
| Azure kingfisher | | | | | | | | | | |
| Collared kingfisher | | | | | | | | | | |
| Sacred kingfisher | | | | | | | | | | |
| Red-backed kingfisher | | | | | | | | | | |
| Blue-winged kookaburra | | | | | | | | | | |
| Cockatoos and parrots | | | | | | | | | | |
| Cockatiel | | | | | | | | | | |
| Red-tailed black-cockatoo | | | | | | | | | | |

| | | | | | | | | | | |
|---------------------------|--|--|--|--|--|--|--|--|--|--|
| Galah | | | | | | | | | | |
| Little corella | | | | | | | | | | |
| Sulphur-crested cockatoo | | | | | | | | | | |
| Red-winged parrot | | | | | | | | | | |
| Northern rosella | | | | | | | | | | |
| Varied lorikeet | | | | | | | | | | |
| Rainbow lorikeet | | | | | | | | | | |
| Budgerigar | | | | | | | | | | |
| Fairy-wrens and grasswren | | | | | | | | | | |
| Purple-crowned fairy-wren | | | | | | | | | | |
| Variegated fairy-wren | | | | | | | | | | |
| Red-backed fairy-wren | | | | | | | | | | |
| Black grasswren | | | | | | | | | | |
| Honeyeaters and chats | | | | | | | | | | |
| Black honeyeater | | | | | | | | | | |
| Dusky honeyeater | | | | | | | | | | |
| Red-headed honeyeater | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Silver-crowned friarbird | | | | | | | | | | |
| Little friarbird | | | | | | | | | | |
| Banded honeyeater | | | | | | | | | | |
| Brown honeyeater | | | | | | | | | | |
| Blue-faced honeyeater | | | | | | | | | | |
| Black-chinned honeyeater | | | | | | | | | | |
| White-throated honeyeater | | | | | | | | | | |
| Pied honeyeater | | | | | | | | | | |
| Rufous-throated honeyeater | | | | | | | | | | |
| Bar-breasted honeyeater | | | | | | | | | | |
| White-gaped honeyeater | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|
| Kimberley honeyeater | | | | | | | | | | |
| Spiny-cheeked honeyeater | | | | | | | | | | |
| Singing honeyeater | | | | | | | | | | |
| Grey-headed honeyeater | | | | | | | | | | |
| Grey-fronted honeyeater | | | | | | | | | | |
| Yellow-tinted honeyeater | | | | | | | | | | |
| White-plumed honeyeater | | | | | | | | | | |
| White-fronted honeyeater | | | | | | | | | | |
| Yellow-throated miner | | | | | | | | | | |
| Crimson chat | | | | | | | | | | |
| Yellow chat | | | | | | | | | | |
| Pardalotes, gerygones and weebill | | | | | | | | | | |
| Red-browed pardalote | | | | | | | | | | |
| Striated pardalote | | | | | | | | | | |
| Green-backed gerygone | | | | | | | | | | |
| White-throated gerygone | | | | | | | | | | |
| Dusky gerygone | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--|---|---|---|---|---|---|---|---|---|----|
| Mangrove gerygone | | | | | | | | | | |
| Weebill | | | | | | | | | | |
| Bowerbird, treecreeper, babbler and sitella | | | | | | | | | | |
| Great bowerbird | | | | | | | | | | |
| Black-tailed treecreeper | | | | | | | | | | |
| Grey-crowned babbler | | | | | | | | | | |
| Varied sitella | | | | | | | | | | |
| Cuckoo-shrikes, cicadabird, trillers and whistlers | | | | | | | | | | |
| Ground cuckoo-shrike | | | | | | | | | | |
| Black-faced cuckoo-shrike | | | | | | | | | | |
| White-bellied cuckoo-shrike | | | | | | | | | | |

| | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|
| Cicadabird | | | | | | | | | | |
| White-winged triller | | | | | | | | | | |
| Varied triller | | | | | | | | | | |
| Rufous whistler | | | | | | | | | | |
| White-breasted whistler | | | | | | | | | | |
| Mangrove golden whistler | | | | | | | | | | |
| Shrike-thrush, figbird and orioles | | | | | | | | | | |
| Little shrike-thrush | | | | | | | | | | |
| Grey shrike-thrush | | | | | | | | | | |
| Sandstone shrike-thrush | | | | | | | | | | |
| Australasian figbird | | | | | | | | | | |
| Olive-backed oriole | | | | | | | | | | |
| Yellow oriole | | | | | | | | | | |
| Woodswallows | | | | | | | | | | |
| Masked woodswallow | | | | | | | | | | |
| White-browed woodswallow | | | | | | | | | | |
| Black-faced woodswallow | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Little woodswallow | | | | | | | | | | |
| White-breasted woodswallow | | | | | | | | | | |
| Magpie, butcherbirds and drongo | | | | | | | | | | |
| Australian magpie | | | | | | | | | | |
| Pied butcherbird | | | | | | | | | | |
| Silver-backed butcherbird | | | | | | | | | | |
| Spangled drongo | | | | | | | | | | |
| Fantails | | | | | | | | | | |
| Northern fantail | | | | | | | | | | |
| Willie wagtail | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|-----------------------------|--|--|--|--|--|--|--|--|--|--|
| Mangrove grey fantail | | | | | | | | | | |
| Grey fantail | | | | | | | | | | |
| Crows | | | | | | | | | | |
| Torresian crow | | | | | | | | | | |
| Little crow | | | | | | | | | | |
| Flycatchers and magpie-lark | | | | | | | | | | |
| Leaden flycatcher | | | | | | | | | | |
| Broad-billed flycatcher | | | | | | | | | | |
| Shining flycatcher | | | | | | | | | | |
| Paperbark flycatcher | | | | | | | | | | |
| Magpie-lark | | | | | | | | | | |
| Robins and mistletoebird | | | | | | | | | | |
| Red-capped robin | | | | | | | | | | |
| Lemon-bellied flycatcher | | | | | | | | | | |
| Jacky winter | | | | | | | | | | |
| Buff-sided robin | | | | | | | | | | |
| Hooded robin | | | | | | | | | | |

| Species | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|----|
| Mistletoebird | | | | | | | | | | |
| Mannikins and finches | | | | | | | | | | |
| Yellow-rumped mannikin | | | | | | | | | | |
| Chestnut-breasted mannikin | | | | | | | | | | |
| Pictorella mannikin | | | | | | | | | | |
| Painted finch | | | | | | | | | | |
| Crimson finch | | | | | | | | | | |
| Star finch | | | | | | | | | | |
| Masked finch | | | | | | | | | | |
| Long-tailed finch | | | | | | | | | | |
| Eighty Mile Beach Marine Park | | | | | | | | | | |
| Yawuru Birragun CP, Yawuru Minyirr Buru CP and Yawuru Nagulagun / Roebuck Bay Marine Park | | | | | | | | | | |
| Wunaamin Conservation Park – Dulundi (Silent Grove) | | | | | | | | | | |
| Bandilngan (Windjana Gorge) National Park | | | | | | | | | | |
| Danggu Geikie Gorge National Park | | | | | | | | | | |
| Mitchell River National Park | | | | | | | | | | |
| Parry Lagoons Nature Reserve | | | | | | | | | | |
| Mirima National Park | | | | | | | | | | |
| Darram Conservation Park | | | | | | | | | | |
| Purnululu National Park | | | | | | | | | | |

| | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|
| Zebra finch | | | | | | | | | | |
| Double-barred finch | | | | | | | | | | |
| Gouldian finch | | | | | | | | | | |
| Pipits, wagtails, bushlark and cisticola | | | | | | | | | | |
| Australasian pipit | | | | | | | | | | |
| Eastern yellow wagtail* | | | | | | | | | | |
| Horsfield's bushlark | | | | | | | | | | |
| Zitting cisticola | | | | | | | | | | |
| Golden-headed cisticola | | | | | | | | | | |
| Songlarks, grassbirds, reed-warbler and white-eye | | | | | | | | | | |
| Brown songlark | | | | | | | | | | |
| Rufous songlark | | | | | | | | | | |
| Tawny grassbird | | | | | | | | | | |
| Little grassbird | | | | | | | | | | |
| Australian reed-warbler | | | | | | | | | | |
| Yellow white-eye | | | | | | | | | | |





2020_619_1020 PDF



Department of Biodiversity,
Conservation and Attractions



**PARKS AND
WILDLIFE
SERVICE**